

TURNER ACRYL GOUACHE n°4

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Issue date: 21/03/2022 Revision date: 21/03/2022 Supersedes version of: 21/10/2019 Version: 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : TURNER ACRYL GOUACHE n°4
Product code : White, Neutral Grey 8, Neutral Grey 7, Opera Red, Pink, Coral Red, Jaune Brillant, Venetian Red, Raw Umber, Emerald Green, Sky Blue, Turquoise Blue, Light Blue, Rose Pink, Apricot, Ivory Yellow, Maize Yellow, Aqua Green, Beryl Green, Horizon Blue, Aqua Blue, Blue Compose, Ultramarine Light, Spring Blue, Mixing Magenta, Mixing Violet, Pastel Peach, Pastel Pink, Pastel Sand, Pastel Lime, Pastel Emerald, Pastel Blue, Pastel Lavender, Pastel Lilac, Pastel Lemon, Pastel Orange, Pastel Rose, Pastel Green, Pastel Olive, Pastel Marine, Grayish Red, J.White, J.Gray, J.Blue Grey, J.Pale Yellow, J.Enamel, J.Scarlet, J.Pale Pink, J.Deep Pink, J.Red Brown, J.Strawberry Red, J.Grayish Beige, J.Ivory Yellow, J.Beige, J.Deep Beige, J.Pale Green, J.Light Green, J.Dark Yellow, J.Pale Blue, J.Light Blue, J.Sky Blue, J.Pale Lilac, J.Lilac, J.Violet, J.Deep Purple, J.Grayish Purple, Pastel Enamel, J.Grayish Red, J.Grayish Green, Lilac, Neutral Grey 5, Grayish Purple, Grayish Blue, Grayish Green, Grayish Brown, Grayish Beige, Yellow Ochre, Pearl Lilac, Colour Pearl Marine, Colour Pearl Black, Colour Pearl Turquoise, Colour Pearl Violet, Colour Pearl Indigo, Pearl White, Pearl Red, Pearl Green, Pearl Yellow, Pearl Blue, Gold Light, Gold Orange, Antique Gold, Antique Silver, Colour Pearl Lemon, Colour Pearl Pink, Colour Pearl Green, Colour Pearl Red, Colour Pearl Aqua, Colour Pearl Lilac, Colour Pearl White, Colour Pearl Yellow, Colour Pearl Magenta, Colour Pearl Orange, Colour Pearl Mint, Colour Pearl Lime, Colour Pearl Emerald, J.Silver, J.Blue Gold, J.Green Gold, J.Black Gold, J.Black Silver.

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public
Use of the substance/mixture : Paint

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

TURNER COLOUR WORKS EUROPE SPRL
B.P.48 Etterbeek Chasse
B-1040 Bruxelles
T +32 2 588 27 88
kenkyuu@turner.co.jp

1.4. Emergency telephone number

| Country | Organisation/Company | Address | Emergency number | Comment |
|---------|--|--|--|---------|
| Ireland | National Poisons Information Centre Beaumont Hospital | PO Box 1297 Beaumont Road 9 Dublin | +353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7) | |
| Malta | Medicines & Poisons Info Office | Mater Dei Hospital MSD 2090 Msida | +356 2545 6508 | |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

To our knowledge, the product does not present any particular risk, under normal conditions of use.

TURNER ACRYL GOUACHE n°4

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH208 - Contains 1,2-benzisothiazol-3(2H)-one, 2-chloracetamide. May produce an allergic reaction.
EUH211 - Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

2.3. Other hazards

Other hazards which do not result in classification : Sensitive people may develop an allergic reaction. Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable.

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|---|---------------|---|
| Titanium dioxide substance with national workplace exposure limit(s) (IE) | CAS-No.: 13463-67-7 EC-No.: 236-675-5 | 1 - 35 | Not classified |
| Propane-1,2-diol substance with national workplace exposure limit(s) (IE) | CAS-No.: 57-55-6 EC-No.: 200-338-0 | 0.1 - 3 | Not classified |
| 1,2-benzisothiazol-3(2H)-one | CAS-No.: 2634-33-5 EC-No.: 220-120-9 EC Index-No.: 613-088-00-6 | 0.005 - 0.049 | Acute Tox. 4 (Oral), H302 (ATE=490 mg/kg bodyweight) Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 2, H411 |
| 2-chloracetamide | CAS-No.: 79-07-2 EC-No.: 201-174-2 EC Index-No.: 616-036-00-0 | 0.01 - 0.099 | Repr. 2, H361f Acute Tox. 3 (Oral), H301 (ATE=138 mg/kg bodyweight) Skin Sens. 1, H317 |

According to the reference:

| | | | |
|--|--|--------|----------------|
| Calcium carbonate substance with national workplace exposure limit(s) (IE) | | | |
| Iron hydroxide oxide yellow substance with national workplace exposure limit(s) (IE) | CAS-No.: 51274-00-1 EC-No.: 257-098-5 | 0 - 24 | Not classified |
| MICA substance with national workplace exposure limit(s) (IE) | CAS-No.: 12001-26-2 EC-No.: 601-648-2 | 0 - 17 | Not classified |
| Cellulose substance with national workplace exposure limit(s) (IE) | CAS-No.: 9004-34-6 EC-No.: 232-674-9 | 0 - 15 | Not classified |

TURNER ACRYL GOUACHE n°4

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|---|-------|---|
| Diiron trioxide substance with national workplace exposure limit(s) (IE) | CAS-No.: 1309-37-1 EC-No.: 215-168-2 | 0 - 6 | Not classified |
| carbon black substance with national workplace exposure limit(s) (IE) | CAS-No.: 1333-86-4 EC-No.: 215-609-9 | 0 - 4 | Not classified |
| Chromium (III) oxide substance with national workplace exposure limit(s) (IE); substance with a Community workplace exposure limit | CAS-No.: 1308-38-9 EC-No.: 215-160-9 | 0 - 2 | Not classified |
| Barium sulfate substance with national workplace exposure limit(s) (IE) | CAS-No.: 7727-43-7 EC-No.: 231-784-4 | 0 - 2 | Not classified |

Specific concentration limits:

| Name | Product identifier | Specific concentration limits |
|------------------------------|---|-------------------------------------|
| 1,2-benzisothiazol-3(2H)-one | CAS-No.: 2634-33-5 EC-No.: 220-120-9 EC Index-No.: 613-088-00-6 | (0.05 ≤C ≤ 100) Skin Sens. 1, H317 |
| 2-chloracetamide | CAS-No.: 79-07-2 EC-No.: 201-174-2 EC Index-No.: 616-036-00-0 | (0.1 ≤C ≤ 100) Skin Sens. 1, H317 |

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|---------------------------------------|---|
| First-aid measures after inhalation | : Take victim to fresh air, in a quiet place and if necessary take medical advice. |
| First-aid measures after skin contact | : Wash skin thoroughly with mild soap and water. Do not use solvents or thinners. Get medical advice if skin irritation persists. |
| First-aid measures after eye contact | : Rinse immediately with plenty of water. If irritation persists, consult an eye specialist. |
| First-aid measures after ingestion | : If accidentally swallowed obtain immediate medical attention. Do not induce vomiting without medical advice. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|-------------------------------------|---|
| Symptoms/effects after skin contact | : Repeated or prolonged contact may cause allergic reactions in very susceptible persons. |
|-------------------------------------|---|

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

| | |
|------------------------------|--|
| Suitable extinguishing media | : Water. carbon dioxide (CO ₂), dry chemical powder, foam. Dry sand. |
|------------------------------|--|

5.2. Special hazards arising from the substance or mixture

| | |
|--|---|
| Hazardous decomposition products in case of fire | : Carbon oxides (CO, CO ₂). Nitrogen oxides. Halogenated compounds. |
|--|---|

TURNER ACRYL GOUACHE n°4

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

5.3. Advice for firefighters

- Precautionary measures fire : Fight fire from safe distance and protected location.
Protection during firefighting : Standard protective clothing and equipment (Self Contained Breathing Apparatus) for fire fighters.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Do not breathe spray, vapours.

6.1.1. For non-emergency personnel

- Emergency procedures : Avoid contact with skin, eyes and clothing. Access forbidden to unauthorised personnel.

6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Do not discharge the product into the environment.

6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Take up liquid spill into absorbent material. After cleaning, flush traces away with water. Dispose of contaminated materials in accordance with current regulations.

6.4. Reference to other sections

See also sections 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Ensure good ventilation of the work station. Avoid any direct contact with the product. Wear suitable protective clothing and gloves.
Hygiene measures : Always wash hands after handling the product. Do not drink, eat or smoke in the workplace.

7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Keep out of the reach of children. Store in a well-ventilated place. Keep away from food, drink and animal feeding stuffs.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

| Propane-1,2-diol (57-55-6) | |
|--|--|
| Ireland - Occupational Exposure Limits | |
| Local name | Propane-1,2-diol [Propylene glycol] |
| OEL TWA [1] | 470 mg/m ³ total (vapour and particulates) 10 mg/m ³ particulates |
| OEL TWA [2] | 150 ppm total (vapour and particulates) |

TURNER ACRYL GOUACHE n°4

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Propane-1,2-diol (57-55-6) | |
|---|--|
| Regulatory reference | Chemical Agents Code of Practice 2021 |
| Barium sulfate (7727-43-7) | |
| Ireland - Occupational Exposure Limits | |
| Local name | Barium sulphate, respirable dust |
| OEL TWA [1] | 5 mg/m ³ |
| Regulatory reference | Chemical Agents Code of Practice 2021 |
| Calcium carbonate (471-34-1) | |
| Ireland - Occupational Exposure Limits | |
| Local name | Calcium carbonate [Limestone, Marble] |
| OEL TWA [1] | 10 mg/m ³ total inhalable dust 4 mg/m ³ respirable dust |
| Regulatory reference | Chemical Agents Code of Practice 2021 |
| carbon black (1333-86-4) | |
| Ireland - Occupational Exposure Limits | |
| Local name | Carbon black |
| OEL TWA [1] | 3 mg/m ³ I (Inhalable Fraction) |
| Regulatory reference | Chemical Agents Code of Practice 2021 |
| Cellulose (9004-34-6) | |
| Ireland - Occupational Exposure Limits | |
| Local name | Cellulose |
| OEL TWA [1] | 10 mg/m ³ |
| Regulatory reference | Chemical Agents Code of Practice 2021 |
| Chromium (III) oxide (1308-38-9) | |
| EU - Indicative Occupational Exposure Limit (IOEL) | |
| Local name | Chromium Metal, Inorganic Chromium (II) Compounds and Inorganic Chromium (III) Compounds (insoluble) |
| IOEL TWA | 2 mg/m ³ |
| Regulatory reference | COMMISSION DIRECTIVE 2006/15/EC |
| Ireland - Occupational Exposure Limits | |
| Local name | Chromium (III) compounds (as Cr) |
| OEL TWA [1] | 2 mg/m ³ |
| Remark | IOELV (Indicative Occupational Exposure Limit Values) |
| Regulatory reference | Chemical Agents Code of Practice 2021 |
| Diiron trioxide (1309-37-1) | |
| Ireland - Occupational Exposure Limits | |
| Local name | Iron oxide, fume (as Fe) |
| OEL TWA [1] | 5 mg/m ³ |
| OEL STEL | 10 mg/m ³ |

TURNER ACRYL GOUACHE n°4

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Diiron trioxide (1309-37-1) | |
|--|--|
| Regulatory reference | Chemical Agents Code of Practice 2021 |
| MICA (12001-26-2) | |
| Ireland - Occupational Exposure Limits | |
| Local name | Mica |
| OEL TWA [1] | 3 mg/m ³ R (Respirable Fraction) |
| Regulatory reference | Chemical Agents Code of Practice 2021 |
| Titanium dioxide (13463-67-7) | |
| Ireland - Occupational Exposure Limits | |
| Local name | Titanium dioxide |
| OEL TWA [1] | 10 mg/m ³ total inhalable dust 4 mg/m ³ respirable dust |
| Regulatory reference | Chemical Agents Code of Practice 2021 |
| Iron hydroxide oxide yellow (51274-00-1) | |
| Ireland - Occupational Exposure Limits | |
| Local name | Iron oxide, fume (as Fe) |
| OEL TWA [1] | 5 mg/m ³ |
| OEL STEL | 10 mg/m ³ |
| Regulatory reference | Chemical Agents Code of Practice 2021 |

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

8.2.2.1. Eye and face protection

Eye protection:

Safety glasses with side shields. (EN 166)

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves. The protective gloves to be used must comply with the specifications of the regulation 2016/425 and the resultant standard EN 374. Breakthrough time : refer to the recommendations of the supplier

TURNER ACRYL GOUACHE n°4

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.2.3. Respiratory protection

Respiratory protection:

Not required for normal conditions of use

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---|---|
| Physical state | : Liquid |
| Colour | : According to product specification. |
| Odour | : Not available |
| Odour threshold | : Not available |
| Melting point | : Not available |
| Freezing point | : Not available |
| Boiling point | : Not available |
| Flammability | : Not applicable. |
| Explosive properties | : Not explosive. |
| Oxidising properties | : Non oxidizing. |
| Explosive limits | : Not available |
| Lower explosive limit (LEL) | : Not available |
| Upper explosive limit (UEL) | : Not available |
| Flash point | : Not flammable |
| Auto-ignition temperature | : Not available |
| Decomposition temperature | : Not available |
| pH | : 8 – 9 |
| Viscosity, kinematic | : Not available |
| Solubility | : soluble in water. Insoluble in oils/fats. |
| Partition coefficient n-octanol/water (Log Kow) | : Not available |
| Vapour pressure | : Not available |
| Vapour pressure at 50 °C | : Not available |
| Density | : Not available |
| Relative density | : 1.2 – 1.4 |
| Relative vapour density at 20 °C | : Not available |
| Particle size | : Not applicable. |
| Particle size distribution | : Not applicable. |
| Particle shape | : Not applicable. |
| Particle aspect ratio | : Not applicable. |
| Particle aggregation state | : Not applicable. |
| Particle agglomeration state | : Not applicable. |
| Particle specific surface area | : Not applicable. |
| Particle dustiness | : Not applicable. |

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

None to our knowledge.

TURNER ACRYL GOUACHE n°4

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None to our knowledge.

10.5. Incompatible materials

Oxidation agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

| | |
|-----------------------------------|--|
| Acute toxicity (oral) | : Not classified (Based on available data, the classification criteria are not met) |
| Acute toxicity (dermal) | : Not classified (Based on available data, the classification criteria are not met) |
| Acute toxicity (inhalation) | : Not classified (Based on available data, the classification criteria are not met) |
| Skin corrosion/irritation | : Not classified (Based on available data, the classification criteria are not met) pH: 8 – 9 |
| Serious eye damage/irritation | : Not classified (Based on available data, the classification criteria are not met) pH: 8 – 9 |
| Respiratory or skin sensitisation | : Not classified (Based on available data, the classification criteria are not met) |
| Additional information | : Sensitive people may develop an allergic reaction |
| Germ cell mutagenicity | : Not classified (Based on available data, the classification criteria are not met) |
| Carcinogenicity | : Not classified (Based on available data, the classification criteria are not met) |
| Reproductive toxicity | : Not classified (Based on available data, the classification criteria are not met) |
| STOT-single exposure | : Not classified (Based on available data, the classification criteria are not met) |
| STOT-repeated exposure | : Not classified (Based on available data, the classification criteria are not met) |
| Aspiration hazard | : Not classified (Based on available data, the classification criteria are not met) |

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

| | |
|---|---|
| Hazardous to the aquatic environment, short-term (acute) | : Not classified (Based on available data, the classification criteria are not met) |
| Hazardous to the aquatic environment, long-term (chronic) | : Not classified (Based on available data, the classification criteria are not met) |

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

TURNER ACRYL GOUACHE n°4

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.5. Results of PBT and vPvB assessment

| Component | |
|--|---|
| Calcium carbonate (471-34-1) | PBT : Not applicable (inorganic substance) vPvB : Not applicable (inorganic substance) |
| Titanium dioxide (13463-67-7) | PBT : Not applicable (inorganic substance) vPvB : Not applicable (inorganic substance) |
| Iron hydroxide oxide yellow (51274-00-1) | PBT : Not applicable (inorganic substance) vPvB : Not applicable (inorganic substance) |
| Cellulose (9004-34-6) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |
| Diiron trioxide (1309-37-1) | PBT : Not applicable (inorganic substance) vPvB : Not applicable (inorganic substance) |
| carbon black (1333-86-4) | PBT : Not applicable (inorganic substance) vPvB : Not applicable (inorganic substance) |
| Propane-1,2-diol (57-55-6) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |
| Chromium (III) oxide (1308-38-9) | Not applicable (inorganic substance) Not applicable (inorganic substance) |
| Barium sulfate (7727-43-7) | PBT : Not applicable (inorganic substance) vPvB : Not applicable (inorganic substance) |
| 1,2-benzisothiazol-3(2H)-one (2634-33-5) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |
| 2-chloracetamide (79-07-2) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Do not discharge the product into the environment. Dispose of in accordance with relevant local regulations.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR | IMDG | IATA | ADN | RID |
|---|-----------------|-----------------|-----------------|-----------------|
| 14.1. UN number or ID number | | | | |
| Not applicable. | Not applicable. | Not applicable. | Not applicable. | Not applicable. |
| 14.2. UN proper shipping name | | | | |
| Not applicable. | Not applicable. | Not applicable. | Not applicable. | Not applicable. |
| 14.3. Transport hazard class(es) | | | | |
| Not applicable. | Not applicable. | Not applicable. | Not applicable. | Not applicable. |

TURNER ACRYL GOUACHE n°4

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| ADR | IMDG | IATA | ADN | RID |
|--|-----------------|-----------------|-----------------|-----------------|
| 14.4. Packing group | | | | |
| Not applicable. | Not applicable. | Not applicable. | Not applicable. | Not applicable. |
| 14.5. Environmental hazards | | | | |
| Not applicable. | Not applicable. | Not applicable. | Not applicable. | Not applicable. |
| No supplementary information available | | | | |

14.6. Special precautions for user

Overland transport

Not applicable.

Transport by sea

Not applicable.

Air transport

Not applicable.

Inland waterway transport

Not applicable.

Rail transport

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances in concentration \geq to the Annex XIV limit values

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes:

This sheet was updated (See : Footer). SDS changed sections 1, 2, 3, 6, 8, 9, 11, 12, 14, 15, 16.

Abbreviations and acronyms:

| | |
|-----|---|
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
|-----|---|

TURNER ACRYL GOUACHE n°4

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:

| | |
|------|---|
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road |
| IATA | International Air Transport Association |
| IMDG | International Maritime Dangerous Goods |
| PBT | Persistent Bioaccumulative Toxic |
| RID | Regulations concerning the International Carriage of Dangerous Goods by Rail |
| vPvB | Very Persistent and Very Bioaccumulative |

Data sources : SDS of suppliers. ECHA - European Chemicals Agency.
Other information : Safety data sheet established by : LISAM TELEGIS
17 rue de la Couture F-60400 Passel
www.lisam-telegis.com.

Full text of H- and EUH-statements:

| | |
|---------------------|--|
| Acute Tox. 3 (Oral) | Acute toxicity (oral), Category 3 |
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |
| Aquatic Acute 1 | Hazardous to the aquatic environment — Acute Hazard, Category 1 |
| Aquatic Chronic 2 | Hazardous to the aquatic environment — Chronic Hazard, Category 2 |
| EUH208 | Contains 1,2-benzisothiazol-3(2H)-one, 2-chloracetamide. May produce an allergic reaction. |
| EUH211 | Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 |
| H301 | Toxic if swallowed. |
| H302 | Harmful if swallowed. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H361f | Suspected of damaging fertility. |
| H400 | Very toxic to aquatic life. |
| H411 | Toxic to aquatic life with long lasting effects. |
| Repr. 2 | Reproductive toxicity, Category 2 |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| Skin Sens. 1 | Skin sensitisation, Category 1 |

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.